

DECLARATION OF PERFORMANCE

Supplier: **Temati Bohemia s.r.o., Brigádnická 4, České Budějovice 370 06**
zapsána v obchodním rejstříku vedeném u Krajského soudu
v Českých Budějovicích oddíl C, vložka 16125

VAT **CZ 280 81 013**

Address: **370 06 České Budějovice, Brigádnická 4, Czech republic**

Managing director: **Ing. Jindřich Matoušek**

POWER SPRAY

1; IDENTIFICATION OF THE SUBSTANCES/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1.Product identifier

Product name Power Spray Adhesive

Product No. 10372ZI

1.2. Relevant identified uses of the substances or mixture and uses advised against

Identified uses Spray adhesive

1.3. Details of the supplier of the data sheet

Supplier Temati BV

Rijnland 2

1948 RL

Beverwijk

The Netherlands

+ 31 (0) 251 – 22 91 72

1.4.Emergency telephone number

+ 31 (0) 30 – 274 88 88

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification (EC 1272/2008)

Physical and chemical hazards Flam. Aerosol 1- H222

Human health EUH066;Eye Irrit. 2 – H319; STOT SE 3 – H336

Environment Aquatic Chronic 3 0 H412

Classification (1999/45/EEC) Xi; R36 F+; R12. R52/53, R66, R67

2.2 Label Elements

Label in Accordance with (EC) No. 1272/200

Signal word Danger

Hazard statements

H222 Extremely flammable aerosol.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P102 Keep out of reach of children.

P210 Keep away from heat/sparks/open flames/hot surfaces

– No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Pressurized container: Do not pierce or burn, even after use.

P280 Wear protective gloves/protective clothing/ eye protection/
face protection.

P261 Avoid breathing vapour/spray.

P337+313 if eye irritation persists: Get medical advice/attention.

If experiencing respiratory symptoms: Call a POISON CENTRE or
doctor/physician.

P501 Dispose of contents/container in accordance with local
regulations.

Supplementary precautionary statements

P273 Avoid release to the environment.

P264 Wash contaminated skin thoroughly after handling.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in
position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue
rinsing.

P308+313 If exposed or concerned: Get medical advice/attention.

P403 Store in a well-ventilated place

P410+412 Protect from sunlight. Do not expose to temperatures
exceeding 50°C/122°F.

Supplement label information

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Pressurised container. Protect from sunlight and do not expose to temperatures exceeding
50°C.

Do not pierce or burn even after use. Do not spray on naked flame or any incandescent
material –

NO SMOKING.

Temati BV Issue H/3 July 2014



3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

ACETONE 10-30%

CAS-No.: 67-64-1 EC No.: 200-662-2 Registration number: 01-2119471330-49

Classification (EC 1272/2008) Classification (67/548/EEC)

Flam. Liq. 2 – H225 F;R11

EUH066 Xi;R36

Eye irrit. 2 – H319 R66

STOT SE 3 – H336 R67

PETROLEUM GASES LIQUIFIED 20-40%

CAS- No.: 68476-85-7 EC No.: 270-704-2

Classification (EC 1272/2008) Classification (67/548/EEC)

Flam. Gas 1- H220 F+;R12

The full text for all R-Phrases and hazard statements are displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues. Inhalation: Move the exposed person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep the affected person warm and at rest. Get prompt medical attention. Ingestion Not relevant Skin contact: Wash the skin immediately with soap and water. Get medical attention if any discomfort continues. Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

FIREFIGHTING MEASURES

5.1 Extinguishing media : Fire can be extinguished using: foam; carbon dioxide; dry powder

5.2 Special hazards arising from the substance or mixture Unusual fire & Explosion hazards Aerosol cans may explode in fire.

5.3 Advice for firefighters

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up Wear necessary protective equipment. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Let evaporate. Keep out of confined spaces because of explosion risk. If leakage cannot be stopped, evacuate area.

6.4 Reference to other sections: Wear protective clothing as described in section 8 of this safety data sheet.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling



Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

7.2. Conditions for safe storage, including any incompatibilities: Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Aerosol: Colour Clear

Odour Hydrocarbon solvent

Solubility Slightly soluble in water

Initial boiling point and boiling range 40 (°C)

Relative density 0.665

Flash point (°C) - 40 not noted.

Comments Can pressures 70psi

9.2 Other information

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

10.2 Chemical stability: Avoid heat, sparks, and flames, stable under normal conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid: Avoid heat, flames and other sources or ignition. Avoid contact with: Strong oxidising agents, Strong alkalis and Strong mineral acids.

10.5 Incompatible materials

Materials to avoid. Strong acids, strong oxidising substances and strong alkalis.

10.6 Hazardous decomposition products

Hydrogen cyanide (HCN). During fire, toxic gases (CO, CO₂) are formed.

11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects, Inhalation, Harmful by inhalation, Ingestion

May cause discomfort if swallowed. Skin contact. Prolonged contact may cause dryness of the skin. May cause sensitisation by skin contact Eye contact Spray and vapour may cause Irritation and smarting

12: ECOLOGICAL INFORMATION

Ecotoxicity

The product contains a substance which is harmful to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

12.1 Toxicity

12.2 Persistence and degradability

12.3 Bio accumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB Assessment

12.6 Other adverse effects



13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods. Empty containers must not be burned because of explosion hazard. Dispose of waste and residues in accordance with local authority requirements.

14: TRANSPORT INFORMATION

14.1 UN Number

UN No. (ADR/RID/ADN) 1950

UN No. (IMDG) 1950

UN No. (ICAO) 1950

14.2 UN proper shipping name

Proper shipping name – AEROSOLS

14.3 Transport hazard class(es)

ADR/RID/ADN class 2.1

ADR/RID/ADN class Class 2: Gases

ADR Label No 2.1

IMDG Class 2.1

ICAO Class/division 2.1

CEFIC TEC® No 20GSF

Air Class 2.1

UK Road Class 2.1

Transport labels L.Q.

14.4 Packing group Not applicable.

14.5 Environmental hazards Environmentally hazardous substance/marine pollutant. No.

14.6 Special precautions for user EMS F-D, S-U, Tunnel restriction code (D)

14.7 transport in bulk according to Annex II of MARPOL73/78 and the IBC code.

15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture. Statutory instruments. The chemicals (Hazard information and packaging for supply) regulations 2009 (S.I 2009 No. 716). Control of substances hazardous to health. Approved code of practice. Classification and labelling of substances and preparations dangerous for supply. Safety data sheets for substances and preparations. Guidance notes

Workplace exposure limits EH40. Introduction to Local exhaust ventilation HS(G)37. CHIP for everyone HSG(108). EU Legislation Dangerous substance directive 67/548/EEC.

Dangerous preparations directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European parliament and of the council of 18 December 2006 concerning the registration, evaluation, authorisation and restriction of chemicals (REACH), establishing a European Chemicals agency, amending directive 1999/45/EC and repealing council regulation (EEC) No 793/93 and commission regulation (EC) No 1488/94 as well as council directive 76/769/

EEC and commission directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2 Chemical safety assessment

16: OTHER INFORMATION

General information: This product should be used as directed. For further information consult the product data sheet or contact technical services. Information sources.

This safety data sheet was compiled using current safety information supplied by distributor raw materials.

Risk phrases in full

R12 Extremely flammable.

R66 Repeated exposure may cause skin dryness or cracking

R11 Highly flammable

R36 Irritating to eyes

R38 Irritating to skin

R66 Repeated exposure may cause skin dryness or cracking

R67 Vapours may cause drowsiness and dizziness

Hazard statements in full

EUH066 Repeated exposure may cause skin dryness or cracking.

H220 Extremely flammable gas

H222 Extremely flammable aerosol

H225 Highly flammable liquid and vapour

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

ISSUE: H/3

REVISION DATE: JULY 2014

REVIEW DATE: JULY 2015

This advice is given by TEMATI BV who accepts no legal liability for it. The information herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should not therefore, be construed as guaranteeing specific properties.



Ing. Jindřich Matoušek
managing director
Temati Bohemia s.r.o.

České Budějovice 30th of May 2016